

	Typ e	Hits	Search Text	DBs	Time Stamp
1	BRS	804	(determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or frequency or speed))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 09:52
2	BRS	4	((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or frequency or speed))) same (decod\$4 near3 clock)	USPAT; US-PGPU B; IBM_TDB	2003/12/02 14:04
3	BRS	33	((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or frequency or speed))) and (decod\$4 near3 clock)	USPAT; US-PGPU B; IBM_TDB	2003/12/02 12:01
4	BRS	74	((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or frequency or speed))) and (encod\$4 near3 (signal or clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 15:05
5	BRS	22	((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or frequency or speed))) and (decod\$4 near3 clock)) and (encod\$4 near3 (signal or clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 14:03
6	BRS	2469	(determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 08:14
7	BRS	3	((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed))) with (decod\$4 near3 clock)	USPAT; US-PGPU B; IBM_TDB	2003/12/02 15:05
8	BRS	4	((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed))) same (decod\$4 near3 clock)	USPAT; US-PGPU B; IBM_TDB	2003/12/02 12:13
9	BRS	44	((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed))) and (ieee adj "1394")	USPAT; US-PGPU B; IBM_TDB	2003/12/02 13:01
10	BRS	5	((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed))) same (encod\$4 near4 (data near3 clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 13:02
11	BRS	10	((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed))) and (encod\$4 near4 (data near3 clock))) and (decod\$4 near4 (clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 13:03

	Type	Hits	Search Text	DBs	Time Stamp
12	BRS	20	((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed))) and (encod\$4 near4 (data near3 clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 13:09
13	BRS	1420	(encod\$4 near4 (data near3 clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 13:09
14	BRS	314	((encod\$4 near4 (data near3 clock))) same (decod\$4 near5 clock)	USPAT; US-PGPU B; IBM_TDB	2003/12/02 13:12
15	BRS	4	((encod\$4 near4 (data near3 clock))) same (decod\$4 near5 clock)) and ((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or frequency or speed)))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 13:16
16	BRS	11	((encod\$4 near4 (data near3 clock))) and ((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or frequency or speed)))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 13:12
17	BRS	20	((encod\$4 near4 (data near3 clock))) and ((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed)))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 13:12
18	BRS	13	((encod\$4 near4 (data near3 clock))) and ((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed)))) and (decod\$4 near5 clock)	USPAT; US-PGPU B; IBM_TDB	2003/12/02 13:14
19	BRS	0	(data near3 tranfer\$4)with ((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed)))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 13:15
20	BRS	0	(data near3 tranfer\$4)same ((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed)))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 13:15
21	BRS	0	(data near3 tranfer\$4)and ((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed)))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 13:15
22	BRS	130	((encod\$4 near4 (data near3 clock))) same (decod\$4 near5 clock)) and ((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 ((clock or frequency or speed)))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 13:16

	Typ e	Hits	Search Text	DBs	Time Stamp
23	BRS	649	(determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed))	EPO; JPO; DERWENT	2003/12/02 13:28
24	BRS	0	((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed))) same (decod\$4 near3 clock)	EPO; JPO; DERWENT	2003/12/02 13:19
25	BRS	0	((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed))) and (decod\$4 near3 clock)	EPO; JPO; DERWENT	2003/12/02 13:19
26	BRS	4	((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed))) and (decod\$4 near3 (signal or clock))	EPO; JPO; DERWENT	2003/12/02 13:26
27	BRS	2	((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed))) and (decod\$4 near3 (signal or clock))	JPO	2003/12/02 13:29
28	BRS	1208	(determin\$6 or calculat\$4 or find\$4 or recogniz\$6)with (transfer near2 (clock or rate or frequency or speed))	EPO; JPO; DERWENT	2003/12/02 13:28
29	BRS	6	((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)with (transfer near2 (clock or rate or frequency or speed))) and (decod\$4 near3 (signal or clock))	EPO; JPO; DERWENT	2003/12/02 13:31
30	BRS	24404	ueno.inv.	JPO	2003/12/02 13:31
31	BRS	572	ueno.inv. and fujitsu	JPO	2003/12/02 13:32
32	BRS	23	ueno.inv. and (transfer near3 speed)	JPO	2003/12/02 13:40
33	BRS	55	determin\$4 near4 (transfer near3 speed)	JPO	2003/12/02 13:45
34	BRS	0	(determin\$4 near4 (transfer near3 speed)) and ((tim\$4 near4 stor\$4)with ((predetermin\$4 or predefin\$4)near4 (bits or data)))	JPO	2003/12/02 13:46
35	BRS	144	(time near6 stor\$4)with ((predetermin\$4 or predefin\$4)near4 (bits or data))	JPO	2003/12/02 13:50
36	BRS	2	((time near6 stor\$4)with ((predetermin\$4 or predefin\$4)near4 (bits or data))) same (transfer near3 (speed or rate))	JPO	2003/12/02 13:48

	Type	Hits	Search Text	DBs	Time Stamp
37	BRS	2	((time near6 stor\$4)with ((predetermin\$4 or predefin\$4)near4 (bits or data))) and (transfer near3 (speed or rate))	JPO	2003/12/02 13:48
38	BRS	2589	(time near6 stor\$4)with ((predetermin\$4 or predefin\$4)near4 (bits or data))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 14:02
39	BRS	23	((time near6 stor\$4)with ((predetermin\$4 or predefin\$4)near4 (bits or data))) and ((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed)))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 13:50
40	BRS	23	((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed))) and ((time near6 stor\$4)with ((predetermin\$4 or predefin\$4)near4 (bits or data)))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 14:03
41	BRS	18253	fujitsu.asn.	USPAT; US-PGPU B; IBM_TDB	2003/12/02 13:56
42	BRS	618	fujitsu.asn. and (transfer near5 speed)	USPAT; US-PGPU B; IBM_TDB	2003/12/02 14:06
43	BRS	23	fujitsu.asn. and (determin\$4 near4 (transfer near4 speed))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 14:07
44	BRS	129	((time near6 stor\$4)with ((predetermin\$4 or predefin\$4)near4 (bits or data))) and (transfer near5 speed)	USPAT; US-PGPU B; IBM_TDB	2003/12/02 14:02
45	BRS	129	((((time near6 stor\$4)with ((predetermin\$4 or predefin\$4)near4 (bits or data))) and (transfer near5 speed)) and ((time near6 stor\$4)with ((predetermin\$4 or predefin\$4)near4 (bits or data)))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 14:03
46	BRS	1	(((((time near6 stor\$4)with ((predetermin\$4 or predefin\$4)near4 (bits or data))) and (transfer near5 speed)) and ((time near6 stor\$4)with ((predetermin\$4 or predefin\$4)near4 (bits or data)))) and (encod\$4 near3 (signal or clock))) and (decod\$4 near3 clock)	USPAT; US-PGPU B; IBM_TDB	2003/12/02 14:07

	Type	Hits	Search Text	DBs	Time Stamp
47	BRS	12	(((((time near6 stor\$4)with ((predetermin\$4 or predefin\$4)near4 (bits or data))) and (transfer near5 speed)) and ((time near6 stor\$4)with ((predetermin\$4 or predefin\$4)near4 (bits or data)))) and (encod\$4 near3 (signal or clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 14:06
48	BRS	8513	repeat\$6 near5 transfer	USPAT; US-PGPU B; IBM_TDB	2003/12/02 14:06
49	BRS	85	(repeat\$6 near5 transfer) with (transfer near5 speed)	USPAT; US-PGPU B; IBM_TDB	2003/12/02 14:07
50	BRS	53	(repeat\$6 near5 transfer) and (determin\$4 near4 (transfer near4 speed))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 14:07
51	BRS	1	((repeat\$6 near5 transfer) and (determin\$4 near4 (transfer near4 speed))) and (decod\$4 near3 clock)	USPAT; US-PGPU B; IBM_TDB	2003/12/02 14:07
52	BRS	3	((repeat\$6 near5 transfer) and (determin\$4 near4 (transfer near4 speed))) and (decod\$4 near3 (signal or clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 14:10
53	BRS	650	(repeat\$6 near5 transfer) and (decod\$4 near3 (signal or clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 14:10
54	BRS	97	((repeat\$6 near5 transfer) and (decod\$4 near3 (signal or clock))) and (encod\$4 near3 (signal or clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 14:10
55	BRS	4	((repeat\$6 near5 transfer) and (decod\$4 near3 (signal or clock))) and (encod\$4 near3 (signal or clock))) and ((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)with (transfer near4 (clock or rate or frequency or speed)))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 14:16
56	BRS	3	((repeat\$6 near5 transfer) and (decod\$4 near3 (signal or clock))) and (encod\$4 near3 (signal or clock))) and ((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed)))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 14:16

	Typ e	Hits	Search Text	DBs	Time Stamp
57	BRS	39	((repeat\$6 near5 transfer) and (decod\$4 near3 (signal or clock))) and ((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)with (transfer near4 (clock or rate or frequency or speed)))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 14:42
58	BRS	12790	hirotaka.inv.	JPO	2003/12/02 14:52
59	BRS	11	hirotaka.inv. and (transfer near3 speed)	JPO	2003/12/02 14:52
60	BRS	0	hirotaka.inv. and (determin\$4 near5(transfer near3 (clock or rate or speed)))	JPO	2003/12/02 14:46
61	BRS	2	hirotaka.inv. and ((tim\$4 near5(stor\$4 or writ\$4))same ((predetermin\$4 or predefin\$4)near5(bit\$1 or data or puls\$2)))	JPO	2003/12/02 14:52
62	BRS	0	jp2000241292.pn.	JPO	2003/12/02 14:51
63	BRS	0	hirotaka.inv. and "241292"	JPO	2003/12/02 14:51
64	BRS	0	jp-2000241292.pn.	JPO	2003/12/02 14:51
65	BRS	0	241292.pn.	JPO	2003/12/02 14:51
66	BRS	13671	hirotaka.inv.	EPO; JPO; DERWENT	2003/12/02 14:52
67	BRS	11	hirotaka.inv. and (transfer near3 speed)	EPO; JPO; DERWENT	2003/12/02 14:52
68	BRS	2	hirotaka.inv. and ((tim\$4 near5(stor\$4 or writ\$4))same ((predetermin\$4 or predefin\$4)near5(bit\$1 or data or puls\$2)))	JPO	2003/12/02 14:52
69	BRS	2	hirotaka.inv. and ((tim\$4 near5(stor\$4 or writ\$4))same ((predetermin\$4 or predefin\$4)near5(bit\$1 or data or puls\$2)))	JPO	2003/12/02 14:52
70	BRS	2	hirotaka.inv. and ((tim\$4 near5(stor\$4 or writ\$4))same ((predetermin\$4 or predefin\$4)near5(bit\$1 or data or puls\$2)))	EPO; JPO; DERWENT	2003/12/02 14:53
71	BRS	1	(transfer\$4 near5 (speed or rate or clock)) with (stor\$4 near5 ((predetermin\$3 or predefin\$3)near5 (bit\$1 or puls\$2)))	EPO; JPO; DERWENT	2003/12/02 14:56

	Type	Hits	Search Text	DBs	Time Stamp
72	BRS	17	(transfer\$4 near5 (speed or rate or clock)) with (stor\$4 near5 ((predetermin\$3 or predefin\$3)near5 (bit\$1 or puls\$2)))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 15:03
73	BRS	64710	encod\$4 near5 data	USPAT; US-PGPU B; IBM_TDB	2003/12/02 15:32
74	BRS	5922	encod\$4 near5 clock	USPAT; US-PGPU B; IBM_TDB	2003/12/02 15:03
75	BRS	3967	(encod\$4 near5 data ) and (encod\$4 near5 clock )	USPAT; US-PGPU B; IBM_TDB	2003/12/02 15:03
76	BRS	55	((encod\$4 near5 data ) and (encod\$4 near5 clock )) and ((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed)))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 15:32
77	BRS	53	((encod\$4 near5 data ) and (encod\$4 near5 clock )) and ((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed)))) and (encod\$4 near3 (signal or clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 08:51
78	BRS	35	((encod\$4 near5 data ) and (encod\$4 near5 clock )) and ((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed)))) and (decod\$4 near3 clock)	USPAT; US-PGPU B; IBM_TDB	2003/12/02 15:05
79	BRS	2050	encod\$4 near5 (data with clock)	USPAT; US-PGPU B; IBM_TDB	2003/12/02 15:34
80	BRS	29	(encod\$4 near5 (data with clock)) and ((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed)))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 15:35
81	BRS	5	(encod\$4 near5 (data with clock)) and (((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed))))same (decod\$3 near3 (clock or signal)))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 15:35
82	BRS	385	encod\$4 near5 (data with clock)	EPO; JPO; DERWENT	2003/12/02 15:48

	Typ e	Hits	Search Text	DBs	Time Stamp
83	BRS	0	(encod\$4 near5 (data with clock)) and (((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed))))same (decod\$3 near3 (clock or signal)))	EPO; JPO; DERWENT	2003/12/02 15:35
84	BRS	0	(encod\$4 near5 (data with clock)) and (((determin\$6 or calculat\$4 or find\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed))))	EPO; JPO; DERWENT	2003/12/02 15:35
85	BRS	10	(encod\$4 near5 (data with clock)) and ( (transfer near2 (clock or rate or frequency or speed)))	EPO; JPO; DERWENT	2003/12/02 15:48
86	BRS	2050	encod\$4 near5 (data with clock)	USPAT; US-PGPU B; IBM_TDB	2003/12/02 15:48
87	BRS	383	(encod\$4 near5 (data with clock)) and ( (transfer near2 (clock or rate or frequency or speed)))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 15:49
88	BRS	271	((encod\$4 near5 (data with clock)) and ( (transfer near2 (clock or rate or frequency or speed)))) and (buffer)	USPAT; US-PGPU B; IBM_TDB	2003/12/02 15:49
89	BRS	145	((encod\$4 near5 (data with clock)) and ( (transfer near2 (clock or rate or frequency or speed)))) and (buffer near6 (writ\$4 or load\$3))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 15:49
90	BRS	148	((encod\$4 near5 (data with clock)) and ( (transfer near2 (clock or rate or frequency or speed)))) and (buffer near6 (read\$4 or access\$3))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 15:50
91	BRS	118	((encod\$4 near5 (data with clock)) and ( (transfer near2 (clock or rate or frequency or speed)))) and (buffer near6 (writ\$4 or load\$3))) and (((encod\$4 near5 (data with clock)) and ( (transfer near2 (clock or rate or frequency or speed)))) and (buffer near6 (read\$4 or access\$3)))	USPAT; US-PGPU B; IBM_TDB	2003/12/02 15:50
92	BRS	3	(determin\$4 near5(transfer near3 (clock or rate or speed)))same (fifo with (read or write))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 09:23
93	BRS	1650	(generat\$5 or produc\$6 or deriv\$4) with ((read or write)near6 fifo)	USPAT; US-PGPU B; IBM_TDB	2003/12/03 09:19



	Type	Hits	Search Text	DBs	Time Stamp
94	BRS	1505	((generat\$5 or produc\$6 or deriv\$4) with ((read or write)near6 fifo)) same (encod\$4 neatr3 (input or data or signal))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 08:14
95	BRS	8	((((generat\$5 or produc\$6 or deriv\$4) with ((read or write)near6 fifo)) same (encod\$4 neatr3 (input or data or signal))) and ((determin\$6 or calculat\$4 or find\$4 or deriv\$4 or recogniz\$6)near4 (transfer near2 (clock or rate or frequency or speed)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 08:15
96	BRS	3	((determin\$4 or deriv\$4)near5(transfer near3 (clock or rate or speed)))same (fifo with (read or write))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 09:17
97	BRS	1	(determin\$4 near5(transfer near3 (clock or rate or speed)))same (fifo with (read or write))	EPO; JPO; DERWENT	2003/12/03 09:18
98	BRS	10242	(generat\$5 or produc\$6 or deriv\$4 or determin\$4) with (transfer near3 (clock or speed or rate or frequency))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 09:33
99	BRS	108	((generat\$5 or produc\$6 or deriv\$4 or determin\$4) with (transfer near3 (clock or speed or rate or frequency))) same ((decoded or encoded) near3 (signal or data))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 09:21
100	BRS	123	((generat\$5 or produc\$6 or deriv\$4 or determin\$4) with (transfer near3 (clock or speed or rate or frequency))) and (encod\$4 near5 (data with clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 09:22
101	BRS	34	((((generat\$5 or produc\$6 or deriv\$4 or determin\$4) with (transfer near3 (clock or speed or rate or frequency))) same ((decoded or encoded) near3 (signal or data))) and (encod\$4 near5 (data with clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 09:34
102	BRS	3	((generat\$5 or produc\$6 or deriv\$4 or determin\$4) with (transfer near3 (clock or speed or rate or frequency))) and ((determin\$4 near5(transfer near3 (clock or rate or speed)))same (fifo with (read or write)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 09:23
103	BRS	63	((generat\$5 or produc\$6 or deriv\$4 or determin\$4) with (transfer near3 (clock or speed or rate or frequency))) and ((determin\$4 near5(transfer near3 (clock or rate or speed)))and (fifo with (read or write)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 09:25

	Typ e	Hits	Search Text	DBs	Time Stamp
104	BRS	2	(((((generat\$5 or produc\$6 or deriv\$4 or determin\$4) with (transfer near3 (clock or speed or rate or frequency))) same ((decoded or encoded) near3 (signal or data))) and (encod\$4 near5 (data with clock))) and (((generat\$5 or produc\$6 or deriv\$4 or determin\$4) with (transfer near3 (clock or speed or rate or frequency))) and ((determin\$4 near5 (transfer near3 (clock or rate or speed))) and (fifo with (read or write))))))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 09:23
105	BRS	310	((generat\$5 or produc\$6 or deriv\$4 or determin\$4) with (transfer near3 (clock or speed or rate or frequency))) and (fifo with (read or write))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 09:26
106	BRS	2	(((((generat\$5 or produc\$6 or deriv\$4 or determin\$4) with (transfer near3 (clock or speed or rate or frequency))) same ((decoded or encoded) near3 (signal or data))) and (encod\$4 near5 (data with clock))) and (fifo with (read or write)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 09:25
107	BRS	5	(((((generat\$5 or produc\$6 or deriv\$4 or determin\$4) with (transfer near3 (clock or speed or rate or frequency))) same ((decoded or encoded) near3 (signal or data))) and (((generat\$5 or produc\$6 or deriv\$4 or determin\$4) with (transfer near3 (clock or speed or rate or frequency))) and (fifo with (read or write))))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 09:26
108	BRS	5948	(generat\$5 or produc\$6 or deriv\$4 or determin\$4) near5 (transfer near3 (clock or speed or rate or frequency))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 09:34
109	BRS	33	((generat\$5 or produc\$6 or deriv\$4 or determin\$4) with (transfer near3 (clock or speed or rate or frequency))) same (encod\$4 near5 (data with clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 09:34
110	BRS	5	((generat\$5 or produc\$6 or deriv\$4 or determin\$4) with (transfer near3 (clock or speed or rate or frequency))) with (encod\$4 near5 (data with clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 09:38

	Type	Hits	Search Text	DBs	Time Stamp
111	BRS	11	((generat\$5 or produc\$6 or deriv\$4 or determin\$4) with (transfer near3 (clock or speed or rate or frequency))) with (decod\$4 near5 (data with clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 11:17
112	BRS	773	((generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 ( (clock or speed or rate or frequency))) with (decod\$4 near5 (data with clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 11:18
113	BRS	773	((determin\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 ( (clock or speed or rate or frequency))) with (decod\$4 near5 (data with clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 13:50
114	BRS	166	((((determin\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 ( (clock or speed or rate or frequency))) with (decod\$4 near5 (data with clock))) same (encod\$3 near3 (data or signal or input)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 14:10
115	BRS	121	(((((determin\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 ( (clock or speed or rate or frequency))) with (decod\$4 near5 (data with clock))) same (encod\$3 near3 (data or signal or input))) same (decod\$3 near3 (clock or frequency or rate or speed)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 14:09
116	BRS	62	((((determin\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 ( (clock or speed or rate or frequency))) with (decod\$4 near5 (data with clock))) same (encod\$3 near3 ((data or signal or input)with clock)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 11:22
117	BRS	54	(((((determin\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 ( (clock or speed or rate or frequency))) with (decod\$4 near5 (data with clock))) same (encod\$3 near3 ((data or signal or input)with clock))) same (decod\$3 near3 (clock or frequency or rate or speed)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 12:55
118	BRS	133	recover\$3 near5 (embed\$5 near4 clock)	USPAT; US-PGPU B; IBM_TDB	2003/12/03 12:56
119	BRS	163	(recover\$3 or re\$generat\$6 or deriv\$4 or determin\$4) near5 (embed\$5 near4 clock)	USPAT; US-PGPU B; IBM_TDB	2003/12/03 12:57

	Type	Hits	Search Text	DBs	Time Stamp
120	BRS	455	(recover\$3 or re\$generat\$6 or deriv\$4 or determin\$4) near5 ((embed\$5 or encoded) near4 clock)	USPAT; US-PGPU B; IBM_TDB	2003/12/03 15:39
121	BRS	4	((recover\$3 or re\$generat\$6 or deriv\$4 or determin\$4) near5 (embed\$5 near4 clock)) with (decod\$3 near3 (clock or frequency or rate or speed))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 12:58
122	BRS	27	l1l1 and (fifo or (dual near2 port))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 13:38
123	BRS	43	((recover\$3 or re\$generat\$6 or deriv\$4 or determin\$4) near5 ((embed\$5 or encoded) near4 clock)) with (decod\$3 near3 (clock or frequency or rate or speed))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 13:37
124	BRS	1	((recover\$3 or re\$generat\$6 or deriv\$4 or determin\$4) near5 ((embed\$5 or encoded) near4 clock)) and (((determin\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 ( transfer near5(speed or rate or frequency))) with (decod\$4 near5 (data with clock)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 13:31
125	BRS	1	((recover\$3 or re\$generat\$6 or deriv\$4 or determin\$4) near5 ((embed\$5 or encoded) near4 clock)) and (((determin\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 ( (communicat\$4 or transfer or transmi\$7) near5(speed or rate or frequency))) with (decod\$4 near5 (data with clock)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 13:32
126	BRS	73	((recover\$3 or re\$generat\$6 or deriv\$4 or determin\$4) near5 ((embed\$5 or encoded) near4 clock)) and (((determin\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 ( (communicat\$4 or transfer or transmi\$7) near5(speed or rate or frequency)) ))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 13:34
127	BRS	3	((determin\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 ( transfer near5(speed or rate or frequency))) with (decod\$4 near5 (data with clock)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 13:32

	Type	Hits	Search Text	DBs	Time Stamp
128	BRS	4	((recover\$3 or re\$generat\$6 or deriv\$4 or determin\$4) near5 ((embed\$5 or encoded) near4 clock)) same(((determin\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 ( (communicat\$4 or transfer or transmi\$7) near5(speed or rate or frequency)) ))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 13:34
129	BRS	0	116 and (fifo or (dual near2 port))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 13:38
130	BRS	39	((recover\$3 or re\$generat\$6 or deriv\$4 or determin\$4) near5 ((embed\$5 or encoded) near4 clock)) and (((determin\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 ( (communicat\$4 or transfer or transmi\$7) near5(speed or rate or frequency)) ))) and (decod\$3 near3 (clock or frequency or rate or speed))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 13:38
131	BRS	4	((determin\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 ((transfer or transmi\$6 or communicat\$4)near4(clock or speed or rate or frequency))) with (((recover\$3 or re\$generat\$6 or deriv\$4 or determin\$4) near5 ((embed\$5 or encoded) near4 clock)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 13:45
132	BRS	7	((determin\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 ((transfer or transmi\$6 or communicat\$4)near4(clock or speed or rate or frequency))) same (((recover\$3 or re\$generat\$6 or deriv\$4 or determin\$4) near5 ((embed\$5 or encoded) near4 clock)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 13:49
133	BRS	3	((determin\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 ((transfer or transmi\$6 or communicat\$4)near4(speed or rate or frequency))) same (((recover\$3 or re\$generat\$6 or deriv\$4 or determin\$4) near5 ((embed\$5 or encoded) near4 clock)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 13:49
134	BRS	7	((determin\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 ((transfer or transmi\$6 or communicat\$4)near3 ( speed or rate or frequency))) with (decod\$4 near5 (data with clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 13:52

	Typ e	Hits	Search Text	DBs	Time Stamp
135	BRS	5	((determin\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 (( transfer or transmi\$6 or communicat\$4)near3 ( speed or rate or frequency))) with (decod\$4 near5 (data with clock))	EPO; JPO; DERWENT	2003/12/03 13:54
136	BRS	0	((determin\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 (( transfer or transmi\$6 or communicat\$4)near3 ( speed or rate or frequency))) with (encod\$4 near5 (data with clock))	EPO; JPO; DERWENT	2003/12/03 13:55
137	BRS	13	((determin\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 (( transfer or transmi\$6 or communicat\$4)near3 ( speed or rate or frequency))) with (encod\$4 near5 (data with clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 14:05
138	BRS	33126	((determin\$4 or calculat\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 (( transfer or transmi\$6 or communicat\$4)near3 ( speed or rate or frequency)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 15:40
139	BRS	23062	((determin\$4 or calculat\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near3 (( transfer or transmi\$6 or communicat\$4)near3 ( speed or rate or frequency)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 14:07
140	BRS	23062	(determin\$4 or calculat\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near3 (( transfer or transmi\$6 or communicat\$4)near3 ( speed or rate or frequency))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 16:01
141	BRS	13602	(determin\$4 or calculat\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near3 (( transfer or transmi\$6 or communicat\$4)adj3 ( speed or rate or frequency))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 14:47
142	BRS	131	((determin\$4 or calculat\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near3 (( transfer or transmi\$6 or communicat\$4)adj3 ( speed or rate or frequency))) same (decod\$3 near3 (clock or signal or output))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 14:09
143	BRS	366	((determin\$4 or calculat\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near3 (( transfer or transmi\$6 or communicat\$4)adj3 ( speed or rate or frequency))) same (encod\$3 near3 (data or signal or input or clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 14:10

	Typ e	Hits	Search Text	DBs	Time Stamp
144	BRS	31	((determin\$4 or calculat\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near3 (( transfer or transmi\$6 or communicat\$4)adj3 ( speed or rate or frequency))) same (decod\$3 near3 (clock or signal or output))) same (encod\$3 near3 (data or signal or input or clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 14:38
145	BRS	1	6111912.pn.	USPAT; US-PGPU B; IBM_TDB	2003/12/03 14:39
146	BRS	1	6097716.pn.	USPAT; US-PGPU B; IBM_TDB	2003/12/03 14:40
147	BRS	1	6094428.pn.	USPAT; US-PGPU B; IBM_TDB	2003/12/03 14:41
148	BRS	1	5872775.pn.	USPAT; US-PGPU B; IBM_TDB	2003/12/03 14:44
149	BRS	367	(transmi\$6 or transmit\$4 or transfer\$3)near5 (encod\$4 near4 (data near5 clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 14:46
150	BRS	7	((transmi\$6 or transmit\$4 or transfer\$3)near5 (encod\$4 near4 (data near5 clock))) same ((determin\$4 or calculat\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near3 (( transfer or transmi\$6 or communicat\$4)adj3 ( speed or rate or frequency)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 15:38
151	BRS	32450	data near4 decoder	USPAT; US-PGPU B; IBM_TDB	2003/12/03 15:38
152	BRS	2164	(data near4 decoder) and (((determin\$4 or calculat\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 (( transfer or transmi\$6 or communicat\$4)near3 ( speed or rate or frequency))) )	USPAT; US-PGPU B; IBM_TDB	2003/12/03 15:41

	Type	Hits	Search Text	DBs	Time Stamp
153	BRS	2	((data near4 decoder) with ((recover\$3 or re\$generat\$6 or deriv\$4 or determin\$4) near5 ((embed\$5 or encoded) near4 clock))) and (((determin\$4 or calculat\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near6 (( transfer or transmi\$6 or communicat\$4)near3 ( speed or rate or frequency)))) )	USPAT; US-PGPU B; IBM_TDB	2003/12/03 15:41
154	BRS	25	(data near4 decoder) with ((recover\$3 or re\$generat\$6 or deriv\$4 or determin\$4) near5 ((embed\$5 or encoded) near4 clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 15:59
155	BRS	30422	(determin\$4 or calculat\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near5 (( transfer or transmi\$6 or communicat\$4)near3 ( speed or rate or frequency))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 16:04
156	BRS	1	((decod\$4 near3 encod\$3)with ((generat\$3 or produc\$5 or deriv\$4)near5 (decoded near3 clock))) and ((determin\$4 or calculat\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near5 (( transfer or transmi\$6 or communicat\$4)near3 ( speed or rate or frequency)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 16:52
157	BRS	8	(decod\$4 near3 encod\$3)with ((generat\$3 or produc\$5 or deriv\$4)near5 (decoded near3 clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 16:06
158	BRS	35205	375/\$.ccls.	USPAT; US-PGPU B; IBM_TDB	2003/12/03 16:04
159	BRS	3422	375/\$.ccls. and ((determin\$4 or calculat\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near5 (( transfer or transmi\$6 or communicat\$4)near3 ( speed or rate or frequency)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 16:05
160	BRS	0	(375/\$.ccls. and ((determin\$4 or calculat\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near5 (( transfer or transmi\$6 or communicat\$4)near3 ( speed or rate or frequency)))) and ((decod\$4 near3 encod\$3)with ((generat\$3 or produc\$5 or deriv\$4)near5 (decoded near3 clock)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 16:05



	Typ e	Hits	Search Text	DBs	Time Stamp
161	BRS	0	(375/\$.ccls. and ((determin\$4 or calculat\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near5 (( transfer or transmi\$6 or communicat\$4)near3 ( speed or rate or frequency)))) and ((decod\$4 with encod\$3)same ((generat\$3 or produc\$5 or deriv\$4)near5 (decoded near3 clock)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 16:06
162	BRS	8	((decod\$4 near3 encod\$3)with ((generat\$3 or produc\$5 or deriv\$4)near5 (decoded near3 clock))) and ((decod\$4 with encod\$3)same ((generat\$3 or produc\$5 or deriv\$4)near5 (decoded near3 clock)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 16:07
163	BRS	21	(decod\$4 with encod\$3)same ((generat\$3 or produc\$5 or deriv\$4)near5 (decoded near3 clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 16:24
164	BRS	6	(decod\$4 with encod\$3)same ((generat\$3 or produc\$5 or deriv\$4)near5 (decoded near3 clock))	EPO; JPO; DERWENT	2003/12/03 16:26
165	BRS	12790	hirotaka.inv.	JPO	2003/12/03 16:25
166	BRS	33	hirotaka.inv. and (decod\$4 with encod\$3)	JPO	2003/12/03 16:26
167	BRS	897	hirotaka.inv. and (speed)	JPO	2003/12/03 16:26
168	BRS	6	((select\$4 near3 read\$3)near6 (fifo or (dual near3 memory)))with (speed or frequency)	USPAT; US-PGPU B; IBM_TDB	2003/12/03 16:52
169	BRS	2265	((select\$4 near3 read\$3)with (speed or frequency))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 16:52
170	BRS	167	((select\$4 near3 read\$3)with (speed or frequency))) and ((determin\$4 or calculat\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near5 (( transfer or transmi\$6 or communicat\$4)near3 ( speed or rate or frequency)))	USPAT; US-PGPU B; IBM_TDB	2003/12/03 16:53
171	BRS	18	((select\$4 near3 read\$3)with (speed or frequency))) and ((determin\$4 or calculat\$4 or generat\$5 or produc\$6 or deriv\$4 or determin\$4)near5 (( transfer or transmi\$6 or communicat\$4)near3 ( speed or rate or frequency))) and (encod\$4 with decod\$3)	USPAT; US-PGPU B; IBM_TDB	2003/12/03 16:53

	Typ e	Hits	Search Text	DBs	Time Stamp
172	BRS	22338 8	(transfer\$3 or transmi\$6)near4 (speed or rate or frequency)	USPAT; US-PGPU B; IBM_TDB	2003/12/04 10:19
173	BRS	44	((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) with (encod\$3 near3 (data with clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 10:13
174	BRS	78	((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) with (encod\$3 near5 (data with clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 10:19
175	BRS	61	((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) with (encod\$3 near4 (data with clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 09:04
176	BRS	3	((((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) with (encod\$3 near5 (data with clock))) same ((generat\$4 or produc\$4 or determin\$6 or deriv\$4 or calculat\$4)near4(decod\$3 near3 clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 10:43
177	BRS	14	((((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) with (encod\$3 near5 (data with clock))) and((generat\$4 or produc\$4 or determin\$6 or deriv\$4 or calculat\$4)near4(decod\$3 near3 clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 10:21
178	BRS	186	((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) same (encod\$3 near5 (data with clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 09:24
179	BRS	29	((((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) same (encod\$3 near5 (data with clock))) and((generat\$4 or produc\$4 or determin\$6 or deriv\$4 or calculat\$4)near4(decod\$3 near3 clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 10:08
180	BRS	0	(((((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) same (encod\$3 near5 (data with clock))) and((generat\$4 or produc\$4 or determin\$6 or deriv\$4 or calculat\$4)near4(decod\$3 near3 clock))) and (ieee adj2 "1394")	USPAT; US-PGPU B; IBM_TDB	2003/12/04 09:25

	Type	Hits	Search Text	DBs	Time Stamp
181	BRS	19	(((((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) same (encod\$3 near5 (data with clock))) and((generat\$4 or produc\$4 or determin\$6 or deriv\$4 or calculat\$4)near4(decod\$3 near3 clock))) and (ieee or serial)	USPAT; US-PGPU B; IBM_TDB	2003/12/04 09:25
182	BRS	11	(((((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) same (encod\$3 near5 (data with clock))) and((generat\$4 or produc\$4 or determin\$6 or deriv\$4 or calculat\$4)near4(read near3 clock)))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 10:14
183	BRS	5	(((((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) same (encod\$3 near5 (data with clock))) and((generat\$4 or produc\$4 or determin\$6 or deriv\$4 or calculat\$4)near4(write near3 clock))) and (((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) same (encod\$3 near5 (data with clock))) and((generat\$4 or produc\$4 or determin\$6 or deriv\$4 or calculat\$4)near4(read near3 clock)))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 09:37
184	BRS	6	(((((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) same (encod\$3 near5 (data with clock))) and ((determin\$6 or calculat\$4 or find\$4 or deriv\$4 or recogniz\$6)near4 (transfer near4 (frequency or speed)))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 09:53
185	BRS	10	(((((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) same (encod\$3 near5 (data with clock))) and((generat\$4 or produc\$4 or determin\$6 or deriv\$4 or calculat\$4)near4(write near3 clock)))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 09:56
186	BRS	9156	((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) with ((determin\$4 or identif\$6 or determin\$6 or deriv\$4 or calculat\$4) near4 (transfer\$3 or transmi\$6 or encod\$3) near4 (speed or rate or frequencycl))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 09:59
187	BRS	24	(((((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) same (encod\$3 near5 (data with clock))) and ((determin\$4 or identif\$6 or determin\$6 or deriv\$4 or calculat\$4) near4 (transfer\$3 or transmi\$6 or encod\$3) near4 (speed or rate or frequencycl))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 10:31

	Typ e	Hits	Search Text	DBs	Time Stamp
188	BRS	9156	((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) with ((determin\$4 or identif\$6 or determin\$6 or deriv\$4 or calculat\$4) near4 (transfer\$3 or transmi\$6 or encod\$3) near4 (speed or rate or frequencycl))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 10:06
189	BRS	9247	((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) with ((determin\$4 or identif\$6 or determin\$6 or deriv\$4 or calculat\$4) near4 ((transfer\$3 or transmi\$6 or encod\$3) near3 (speed or rate or frequencycl)))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 10:07
190	BRS	7374	((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) with ((determin\$4 or identif\$6 or determin\$6 or deriv\$4 or calculat\$4) near4 ((transfer\$3 or transmi\$6 or encod\$3) near2 (speed or rate or frequencycl)))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 10:07
191	BRS	47	((((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) with ((determin\$4 or identif\$6 or determin\$6 or deriv\$4 or calculat\$4) near4 ((transfer\$3 or transmi\$6 or encod\$3) near3 (speed or rate or frequencycl)))) and ((generat\$4 or produc\$4 or determin\$6 or deriv\$4 or calculat\$4)near4(decod\$3 near3 clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 10:13
192	BRS	2	((((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) with ((determin\$4 or identif\$6 or determin\$6 or deriv\$4 or calculat\$4) near4 ((transfer\$3 or transmi\$6 or encod\$3) near3 (speed or rate or frequencycl)))) same ((generat\$4 or produc\$4 or determin\$6 or deriv\$4 or calculat\$4)near4(decod\$3 near3 clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 10:09
193	BRS	3	((((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) with ((determin\$4 or identif\$6 or determin\$6 or deriv\$4 or calculat\$4) near4 ((transfer\$3 or transmi\$6 or encod\$3) near3 (speed or rate or frequencycl)))) same (encod\$3 near3 (data with clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 10:13

	Typ e	Hits	Search Text	DBs	Time Stamp
194	BRS	8	(((((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) with ((determin\$4 or identif\$6 or determin\$6 or deriv\$4 or calculat\$4) near4 ((transfer\$3 or transmi\$6 or encod\$3) near3 (speed or rate or frequencycl)))) and ((generat\$4 or produc\$4 or determin\$6 or deriv\$4 or calculat\$4)near4(decod\$3 near3 clock))) and (encod\$3 near3 (data with clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 10:13
195	BRS	9	(((((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) with ((determin\$4 or identif\$6 or determin\$6 or deriv\$4 or calculat\$4) near4 ((transfer\$3 or transmi\$6 or encod\$3) near3 (speed or rate or frequencycl)))) and ((generat\$4 or produc\$4 or determin\$6 or deriv\$4 or calculat\$4)near4(decod\$3 near3 clock))) and((generat\$4 or produc\$4 or determin\$6 or deriv\$4 or calculat\$4)near4(decod\$3 near3 clock))) and((generat\$4 or produc\$4 or determin\$6 or deriv\$4 or calculat\$4)near4(read near3 clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 10:14
196	BRS	47	(((((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) with ((determin\$4 or identif\$6 or determin\$6 or deriv\$4 or calculat\$4) near4 ((transfer\$3 or transmi\$6 or encod\$3) near3 (speed or rate or frequencycl)))) and ((generat\$4 or produc\$4 or determin\$6 or deriv\$4 or calculat\$4)near4(decod\$3 near3 clock))) and((generat\$4 or produc\$4 or determin\$6 or deriv\$4 or calculat\$4)near4(decod\$3 near3 clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 10:16
197	BRS	13535 4	(transfer\$3 or transmi\$6)near4 (speed or rate or frequency)	EPO; JPO; DERWENT	2003/12/04 10:19
198	BRS	0	((((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) with (encod\$3 near5 (data with clock))) and ((generat\$4 or produc\$4 or determin\$6 or deriv\$4 or calculat\$4)near4(decod\$3 near3 clock))	JPO; DERWENT	2003/12/04 10:21

	Type	Hits	Search Text	DBs	Time Stamp
199	BRS	2	((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) with (encod\$3 near5 (data with clock))) and ((generat\$4 or produc\$4 or determin\$6 or deriv\$4 or calculat\$4)near4((encod\$3 or decod\$3) near3 clock))	JPO; DERWENT	2003/12/04 10:22
200	BRS	24	((transfer\$3 or transmi\$6)near4 (speed or rate or frequency) ) with (encod\$3 near5 (data with clock))	EPO; JPO; DERWENT	2003/12/04 10:43
201	BRS	271	713/\$.ccls.	EPO; JPO; DERWENT	2003/12/04 10:30
202	BRS	11216	713/\$.ccls.	USPAT	2003/12/04 10:30
203	BRS	0	713/\$.ccls. and (transfer near3 speed)	EPO; JPO; DERWENT	2003/12/04 10:30
204	BRS	0	(713/\$.ccls. and ((determin\$4 or identif\$6 or determin\$6 or deriv\$4 or calculat\$4) near4 (transfer\$3 or transmi\$6 or encod\$3) near4 (speed or rate or frequencycl))) and (encod\$3 near5 (data with clock))	USPAT	2003/12/04 10:43
205	BRS	0	(713/\$.ccls. and ((determin\$4 or identif\$6 or determin\$6 or deriv\$4 or calculat\$4) near4 (transfer\$3 or transmi\$6 or encod\$3) near4 (speed or rate or frequencycl))) and ((generat\$4 or produc\$4 or determin\$6 or deriv\$4 or calculat\$4)near4(decod\$3 near3 clock))	USPAT	2003/12/04 10:44
206	BRS	97	713/\$.ccls. and ((determin\$4 or identif\$6 or determin\$6 or deriv\$4 or calculat\$4) near4 (transfer\$3 or transmi\$6 or encod\$3) near4 (speed or rate or frequencycl))	USPAT	2003/12/04 11:08
207	BRS	0	(dynamic\$4 near4 decod\$4)near6 (decod\$3 near3 (data with clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 11:10
208	BRS	95	(decod\$4)near6 (decoded near3 (data with clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 11:33
209	BRS	5	((decod\$4)near6 (decoded near3 (data with clock))) with (speed or rate or frequency)	USPAT; US-PGPU B; IBM_TDB	2003/12/04 11:11

	Typ e	Hits	Search Text	DBs	Time Stamp
210	BRS	20	((decod\$4)near6 (decoded near3 (data with clock))) same (speed or rate or frequency)	USPAT; US-PGPU B; IBM_TDB	2003/12/04 11:34
211	BRS	14	((decod\$4)near6 (decoded near3 (data with clock))) and (encod\$4 near6 (decoded near3 (data with clock)))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 11:34
212	BRS	14	((decod\$4)near6 (decoded near3 (data with clock))) and (encod\$4 near6 (decoded near3 (data with clock))) and (speed or rate or frequency)	USPAT; US-PGPU B; IBM_TDB	2003/12/04 13:06
213	BRS	129	encoder\$decoder with ((transmi\$6 or transfer or send\$4)near5 (rate or speed or frequency))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 13:08
214	BRS	14	(encoder\$decoder with ((transmi\$6 or transfer or send\$4)near5 (rate or speed or frequency)) ) and (encod\$4 near4 (data with clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 13:09
215	BRS	119	(encoder\$decoder with ((transmi\$6 or transfer or send\$4)near5 (rate or speed or frequency)) ) and (decod\$4 near4 (signal or output or clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 13:10
216	BRS	13	((encoder\$decoder with ((transmi\$6 or transfer or send\$4)near5 (rate or speed or frequency)) ) and (encod\$4 near4 (data with clock))) and ((encoder\$decoder with ((transmi\$6 or transfer or send\$4)near5 (rate or speed or frequency)) ) and (decod\$4 near4 (signal or output or clock)))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 13:10
217	BRS	2	(encoder\$decoder with ((transmi\$6 or transfer or send\$4)near5 (rate or speed or frequency)) ) same (encod\$4 near4 (data with clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 13:20
218	BRS	3	(encoder\$decoder with ((transmi\$6 or transfer or send\$4)near5 (rate or speed or frequency)) ) same ((encod\$4 near4 data) with clock)	USPAT; US-PGPU B; IBM_TDB	2003/12/04 13:22
219	BRS	3	(encoder\$decoder with ((transmi\$6 or transfer or send\$4)near5 (rate or speed or frequency)) ) same ((encod\$4 near6 data) with clock)	USPAT; US-PGPU B; IBM_TDB	2003/12/04 13:22
220	BRS	3841	((encod\$4 near6 data) with clock)	USPAT; US-PGPU B; IBM_TDB	2003/12/04 13:22
221	BRS	372	((encod\$4 near6 data) with clock)) with (decod\$3 near3 clock)	USPAT; US-PGPU B; IBM_TDB	2003/12/04 13:23

	Typ e	Hits	Search Text	DBs	Time Stamp
222	BRS	7	((encod\$4 near6 data) with clock)) with ((determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near6((transmi\$6 or transfer or upload\$3 or send\$4 )near3 (speed or frequency or rarw)))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 13:44
223	BRS	0	(decod\$4 near4 (endcoded near3 (signal or data or clock)))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 13:36
224	BRS	1	(decod\$4 near4 (endcoded near3 (signal or data or clock)))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 14:30
225	BRS	13369	((determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near6((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4)near3 (speed or frequency or rarw)))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 13:46
226	BRS	4760	(determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near6((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4)adj2 (speed or frequency or rarw))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 13:47
227	BRS	15	((encod\$4 near6 data) with clock)) with ((determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near6((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4 )near3 (speed or frequency or rarw)))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 14:19
228	BRS	71	((determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near6((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4)adj2 (speed or frequency or rarw))) same (encod\$4 near3 ((data or signal)near3 (clock or timing or frequency)))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 14:10
229	BRS	1	4928289.pn.	USPAT; US-PGPU B; IBM_TDB	2003/12/04 14:10
230	BRS	1	4799239.pn.	USPAT; US-PGPU B; IBM_TDB	2003/12/04 14:11
231	BRS	18	(high adj2 speed)near3 (serial near4 decoder)	USPAT; US-PGPU B; IBM_TDB	2003/12/04 14:17



	Typ e	Hits	Search Text	DBs	Time Stamp
232	BRS	86	((serial near4 transmi\$6) near3 decoder)	USPAT; US-PGPU B; IBM_TDB	2003/12/04 14:18
233	BRS	407	((serial near4 transmi\$6) with decoder)	USPAT; US-PGPU B; IBM_TDB	2003/12/04 14:28
234	BRS	3	((((serial near4 transmi\$6) with decoder)) same ((determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near6((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4 )near3 (speed or frequency or rarw)))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 14:19
235	BRS	29	((((serial near4 transmi\$6) with decoder)) and ((determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near6((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4 )near3 (speed or frequency or rarw)))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 14:28
236	BRS	73	((serial near4 transmi\$6) with decoder)	EPO; JPO; DERWENT	2003/12/04 14:28
237	BRS	0	((((serial near4 transmi\$6) with decoder)) and ((determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near6((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4 )near3 (speed or frequency or rarw)))	EPO; JPO; DERWENT	2003/12/04 14:28
238	BRS	3430	((determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near6((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4 )near3 (speed or frequency or rarw)))	EPO; JPO; DERWENT	2003/12/04 14:29
239	BRS	2692	((determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near4((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4 )near3 (speed or frequency or rarw)))	EPO; JPO; DERWENT	2003/12/04 14:29
240	BRS	1791	((determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near4((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4 )near2 (speed or frequency or rarw)))	EPO; JPO; DERWENT	2003/12/04 14:30

	Typ e	Hits	Search Text	DBs	Time Stamp
241	BRS	1791	(determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near4((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4 )near2 (speed or frequency or rarw))	EPO; JPO; DERWENT	2003/12/04 14:30
242	BRS	972	(determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near4((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4 )adj2 (speed or frequency or rarw))	EPO; JPO; DERWENT	2003/12/04 14:36
243	BRS	0	((determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near4((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4 )adj2 (speed or frequency or rarw))) same (decod\$4 with (endcoded near3 (signal or data or clock)))	USPAT; US-PGPU B; IBM_TDB	2003/12/04 14:31
244	BRS	0	((determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near4((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4 )adj2 (speed or frequency or rarw))) same (decod\$4 with (endcoded near3 (signal or data or clock)))	EPO; JPO; DERWENT	2003/12/04 14:31
245	BRS	1089	((determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near4((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4 )adj2 (speed or frequency or rarw))) ande (decod\$4 with (endcoded near3 (signal or data or clock)))	EPO; JPO; DERWENT	2003/12/04 14:31
246	BRS	0	((determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near4((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4 )adj2 (speed or frequency or rarw))) and (decod\$4 with (endcoded near3 (signal or data or clock)))	EPO; JPO; DERWENT	2003/12/04 14:32
247	BRS	0	((determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near4((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4 )adj2 (speed or frequency or rarw))) and (decod\$4 same (endcoded near3 (signal or data or clock)))	EPO; JPO; DERWENT	2003/12/04 14:32

	Type	Hits	Search Text	DBs	Time Stamp
248	BRS	0	((determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near4((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4 )adj2 (speed or frequency or rarw))) and ( (endcoded near3 (signal or data or clock)))	EPO; JPO; DERWENT	2003/12/04 14:32
249	BRS	30	((determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near4((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4 )adj2 (speed or frequency or rarw))) and (decod\$4 near6 (signal or data or clock))	EPO; JPO; DERWENT	2003/12/04 14:33
250	BRS	617	(determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)near2((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4 )adj2 (speed or frequency or rarw))	EPO; JPO; DERWENT	2003/12/04 14:36
251	BRS	229	(determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)adj((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4 )adj2 (speed or frequency or rarw))	EPO; JPO; DERWENT	2003/12/04 14:36
252	BRS	157	(determin\$4 or calaculat\$4 or produc\$6 or deriv\$4 or determin\$4)adj((transmi\$6 or transfer or upload\$3 or send\$4 or encod\$4 )adj (speed or frequency or rarw))	EPO; JPO; DERWENT	2003/12/04 14:36

	Type	Hits	Search Text	DBs	Time Stamp
253	BRS	50	("5319395" "6249824" "5784366" "5909435" "5894494" "6237122" "5507024" "5561671" "5764691" "5999562" "5303393" "5365516" "5952857" "6047192" "6078514" "5481531" "5682157" "5684774" "5724241" "5729500" "5836889" "5848072" "5877802" "6088291" "6160773" "6181609" "6246620" "5274508" "5388074" "5774795" "5838604" "5841717"	USPAT	2003/12/08 14:45
254	BRS	19923 3	((transfer\$3 or transmi\$6)near3 (speed or frequency or rate))	USPAT; US-PGPU B; IBM_TDB	2003/12/08 14:47

	Type	Hits	Search Text	DBs	Time Stamp
255	BRS	0	("5319395" "6249824" "5784366" "5909435" "5894494" "6237122" "5507024" "5561671" "5764691" "5999562" "5303393" "5365516" "5952857" "6047192" "6078514" "5481531" "5682157" "5684774" "5724241" "5729500" "5836889" "5848072" "5877802" "6088291" "6160773" "6181609" "6246620" "5274508" "5388074" "5774795" "5838604" "5841717"	USPAT; US-PGPU B; IBM_TDB	2003/12/08 14:48
256	BRS	773	(((transfer\$3 or transmi\$6)near3 (speed or frequency or rate)) ) with (decod\$4 near3 (signal or clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/08 14:50
257	BRS	65	(((((transfer\$3 or transmi\$6)near3 (speed or frequency or rate)) ) with (decod\$4 near3 (signal or clock))) same ((determin\$4 or deriv\$3 or calculat\$4 or estimat\$6 or find\$4) near6 (spped or rate or frequency))	USPAT; US-PGPU B; IBM_TDB	2003/12/08 14:50
258	BRS	56	(((transfer\$3 or transmi\$6)near3 (speed or frequency or rate)) ) with ((decod\$4 near3 (signal or clock))same ((determin\$4 or deriv\$3 or calculat\$4 or estimat\$6 or find\$4) near6 (spped or rate or frequency))	USPAT; US-PGPU B; IBM_TDB	2003/12/08 14:50

	Type	Hits	Search Text	DBs	Time Stamp
259	BRS	59	((((transfer\$3 or transmi\$6)near3 (speed or frequency or rate)) ) with ((decod\$4 near3 (signal or clock))same ((determin\$4 or deriv\$3 or calculat\$4 or estimat\$6 or find\$4) near6 (speed or rate or frequency)))	USPAT; US-PGPU B; IBM_TDB	2003/12/08 14:50
260	BRS	59	((((transfer\$3 or transmi\$6)near3 (speed or frequency or rate)) ) with ((decod\$4 near3 (signal or clock))same ((determin\$4 or deriv\$3 or calculat\$4 or estimat\$6 or find\$4) near6 (speed or rate or frequency)))	USPAT; US-PGPU B; IBM_TDB	2003/12/08 14:50
261	BRS	68	(((((transfer\$3 or transmi\$6)near3 (speed or frequency or rate)) ) with (decod\$4 near3 (signal or clock))) same ((determin\$4 or deriv\$3 or calculat\$4 or estimat\$6 or find\$4) near6 (speed or rate or frequency)))	USPAT; US-PGPU B; IBM_TDB	2003/12/08 14:51
262	BRS	50	(((((transfer\$3 or transmi\$6)near3 (speed or frequency or rate)) ) with (decod\$4 near3 (signal or clock))) same ((determin\$4 or deriv\$3 or calculat\$4 or estimat\$6 or find\$4) near6 ((transfer\$3 or transmi\$6) near4(speed or rate or frequency)))	USPAT; US-PGPU B; IBM_TDB	2003/12/08 16:20
263	BRS	1	6188715.pn.	USPAT; US-PGPU B; IBM_TDB	2003/12/08 15:44
264	BRS	1	3403226.pn.	USPAT; US-PGPU B; IBM_TDB	2003/12/08 16:20
265	BRS	14461	(determin\$6 or deriv\$4 or calculat\$4 or find\$4)near4 ((transfer\$4 or transmi\$6 or communicat\$4)near3(speed or frequency or rate))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 08:33
266	BRS	23901	(determin\$6 or deriv\$4 or calculat\$4 or find\$4 or generat\$4)near4 ((transfer\$4 or transmi\$6 or communicat\$4)near3(speed or frequency or rate))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 08:34
267	BRS	77	((determin\$6 or deriv\$4 or calculat\$4 or find\$4 or generat\$4)near4 ((transfer\$4 or transmi\$6 or communicat\$4)near3(speed or frequency or rate))) with (decod\$4 near3 (signal or clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 08:34

	Type	Hits	Search Text	DBs	Time Stamp
268	BRS	4	((determin\$6 or deriv\$4 or calculat\$4 or find\$4 or generat\$4)near4 ((transfer\$4 or transmi\$6 or communicat\$4)near3(speed or frequency or rate))) with (decod\$4 near3 (signal or clock))) same (encod\$4 near4 clock)	USPAT; US-PGPU B; IBM_TDB	2003/12/09 10:23
269	BRS	5	((determin\$6 or deriv\$4 or calculat\$4 or find\$4 or generat\$4)near4 ((transfer\$4 or transmi\$6 or communicat\$4)near3(speed or frequency or rate))) with (decod\$4 near3 (signal or clock))) same (encod\$4 near4 (tim\$4 or frequency or speed or clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 10:26
270	BRS	1	((determin\$6 or deriv\$4 or calculat\$4 or find\$4 or generat\$4)near4 ((transfer\$4 or transmi\$6 or communicat\$4)near3(speed or frequency or rate))) with (decod\$4 near3 (signal or clock))) same (encod\$4 near4 clock)	EPO; JPO; DERWENT	2003/12/09 10:25
271	BRS	2	((determin\$6 or deriv\$4 or calculat\$4 or find\$4 or generat\$4)near4 ((transfer\$4 or transmi\$6 or communicat\$4)near3(speed or frequency or rate))) with (decod\$4 near3 (signal or clock))) same (encod\$4 near4 (tim\$4 or frequency or speed or clock))	EPO; JPO; DERWENT	2003/12/09 10:25
272	BRS	4786	digital near2 decoder	USPAT; US-PGPU B; IBM_TDB	2003/12/09 10:27
273	BRS	536	(digital near2 decoder) with encoder	USPAT; US-PGPU B; IBM_TDB	2003/12/09 10:27
274	BRS	219	(encod\$4 near4 (includ\$3 or compris\$4))with (data near3 clock)	USPAT; US-PGPU B; IBM_TDB	2003/12/09 10:29
275	BRS	0	((digital near2 decoder) with encoder) same ((encod\$4 near4 (includ\$3 or compris\$4))with (data near3 clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 10:30
276	BRS	3	((digital near2 decoder) with encoder) and ((encod\$4 near4 (includ\$3 or compris\$4))with (data near3 clock))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 12:42

	Type	Hits	Search Text	DBs	Time Stamp
277	BRS	20	milller near2 decoder	USPAT; US-PGPU B; IBM_TDB	2003/12/09 12:49
278	BRS	12	((decoder with (determin\$4 near4 (transfer\$4 or transmi\$6)near2 (speed or frequency or rate)))) same encoder	USPAT; US-PGPU B; IBM_TDB	2003/12/09 12:51
279	BRS	73	(decoder with (determin\$4 near4 (transfer\$4 or transmi\$6)near2 (speed or frequency or rate)))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 12:58
280	BRS	1032	(decoder with (clock near3 (recover\$4 or restor\$4 or extract\$4 or deriv\$4 or regenrat\$4)))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 12:57
281	BRS	47	((decoder with (clock near3 (recover\$4 or restor\$4 or extract\$4 or deriv\$4 or regenrat\$4)))) with (encoded near3 (input or signal))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 12:57
282	BRS	1	((decoder with (clock near3 (recover\$4 or restor\$4 or extract\$4 or deriv\$4 or regenrat\$4)))) with (encoded near3 (input or data or signal))) and (determin\$4 near4 (transfer\$4 or transmi\$6)near2 (speed or frequency or rate))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 13:24
283	BRS	52	((decoder with (clock near3 (recover\$4 or restor\$4 or extract\$4 or deriv\$4 or regenrat\$4)))) with (encoded near3 ((input or data or signal)near4 (clock or tim\$4)))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 13:00
284	BRS	0	((decoder with (clock near3 (recover\$4 or restor\$4 or extract\$4 or deriv\$4 or regenrat\$4)))) with (encoded near3 (input or data or signal))) same (determin\$4 near4 (transfer\$4 or transmi\$6)near2 (speed or frequency or rate))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 13:25
285	BRS	2	((decoder with (clock near3 (recover\$4 or restor\$4 or extract\$4 or deriv\$4 or regenrat\$4)))) same (determin\$4 near4 (transfer\$4 or transmi\$6)near2 (speed or frequency or rate))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 13:25
286	BRS	74	((decoder with (clock near3 (recover\$4 or restor\$4 or extract\$4 or deriv\$4 or regenrat\$4)))) with (encoded near3 (input or data or signal))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 15:34



	Type	Hits	Search Text	DBs	Time Stamp
287	BRS	161	codec with ((determin\$4 or deriv\$3 or calculat\$4 or estimat\$6 or find\$4) near6 (spped or rate or frequency))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 15:43
288	BRS	2	(codec with ((determin\$4 or deriv\$3 or calculat\$4 or estimat\$6 or find\$4) near6 (spped or rate or frequency)) ) same (encod\$4 near5 (clock or frequency or timing))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 15:36
289	BRS	26	(codec with ((determin\$4 or deriv\$3 or calculat\$4 or estimat\$6 or find\$4) near6 (spped or rate or frequency)) ) and (encod\$4 near4 (clock or frequency or timing))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 15:37
290	BRS	10	((codec with ((determin\$4 or deriv\$3 or calculat\$4 or estimat\$6 or find\$4) near6 (spped or rate or frequency)) ) and (encod\$4 near4 (clock or frequency or timing))) and ((codec with ((determin\$4 or deriv\$3 or calculat\$4 or estimat\$6 or find\$4) near6 (spped or rate or frequency)) ) and (decod\$4 near4 (clock or frequency or timing)))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 15:37
291	BRS	172	(codec or transceiver or encoder\$decoder) with ((determin\$4 or deriv\$3 or calculat\$4 or estimat\$6 or find\$4) near4 ((transfer\$3 or transmi\$6 or communicat\$4)near3 (spped or rate or frequency)))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 15:45
292	BRS	21	(codec with ((determin\$4 or deriv\$3 or calculat\$4 or estimat\$6 or find\$4) near6 (spped or rate or frequency)) ) and (decod\$4 near4 (clock or frequency or timing))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 15:41
293	BRS	6172	((determin\$4 or deriv\$3 or calculat\$4 or estimat\$6 or find\$4) near6 ((communicat\$4 or transfer or transmi\$6)adj2(spped or rate or frequency)))	USPAT; US-PGPU B; IBM_TDB	2003/12/09 15:44
294	BRS	68	((((determin\$4 or deriv\$3 or calculat\$4 or estimat\$6 or find\$4) near6 ((communicat\$4 or transfer or transmi\$6)adj2(spped or rate or frequency))) ) with (codec or transceiver or encod\$4decod\$4)	USPAT; US-PGPU B; IBM_TDB	2003/12/09 15:45